



传感器 | 控制仪表 | 推拉力计 | 扭力计

www.sensortop.cn

特梅勒 - 托利多称重传感器 MTB

—



MTB - 不锈钢激光焊接防爆密封传感器

MTB 是剪切梁传感器，适用于恶劣的工业环境。常用于防爆区域，小型平台秤和罐体的称量。MTB 传感器标准量程为 5, 10, 20, 50, 100, 200, 500kg.

规格 - MTB - 不锈钢激光焊接防爆密封传感器

最大秤量 **5kg - 500kg (11lb - 1100lb)**

材质不锈钢

应用平台、平台秤、仓、罐、料斗、输送机

附件底座盒、Foot Kit、伸缩振动工具包可用于 **swb505 multimount™**

电缆长度 **3M, 5M, 10m**

保护类密封 **sealed**, 激光焊接, **IP68、IP69K**

认证 **OIML C3、C6、NTEP III M 5000**

防爆认证 **ATEX 和 IECEx**, 每个负载细胞 **FM 标准**

**MTB**

Due to the hermetically sealed design, MTB is ideal for harsh environments in process or food applications. The full set of approvals makes it the right choice for your application.

**MTB with FKT**

The Foot Kit (FKT) can be used for Floor Scale application when high accuracy matters.

The Foot Kit (FKT)

- Rocker Pin load introduction for high accuracy
- Copes with deck deflection
- Height adjustable
- Replaceable rubber pad
- slight shock / vibration damping function





传感器 | 控制仪表 | 推拉力计 | 扭力计

www.sensortop.cn

MTB with SWB505 MultiMount™

The SWB505 MultiMount™ weigh module is designed to provide safe and accurate weighing in all types of static and dynamic applications. We do not compromise on safety - all safety feature as standard

