

# 深圳市诗拓浦仪器仪表有限公司

## LAUMAS 称重传感器称重模块 PIEDINOSB2-500kg



型号:

PIEDINOSB2-500kg

PIEDINOSB2-2000kg

PIEDINOSB2-5000kg

特征:

1, piedinosb2m8 : M8 x 1.25 英寸 不锈钢

PiedinosB2M10: M10 x 1.5 英寸 不锈钢

PiedinosB2inox 公司 : M12 x 1.75 英寸 不锈钢

PiedinosB2M20: M20x2 英寸 不锈钢

压电陶瓷: M20 x 2.5 英寸

**称重传感器 | 控制仪表 | 应变测试仪**

[www.sensortop.cn](http://www.sensortop.cn) Tel:0755-23002259 sales@sensortop.cn

# 深圳市诗拓浦仪器仪表有限公司

压电陶瓷 B2ZNCM10 : M8 x 1.25 英寸 镀镍

压电陶瓷:M10 x 1.5 英寸 镀镍

2,自定心可调支脚

产品相关图片



MAX STATIC LOAD	kg	DIMENSIONS	MATERIAL	NET WEIGHT JOINT FOOT (kg)	CODE
500		M8x1.25	stainless steel	0.3	PIEDINOSB2M8
500		M10x1.5		0.3	PIEDINOSB2M10
2000		M12x1.75		0.4	PIEDINOSB2INOX
5000		M20x2.5		0.9	PIEDINOSB2M20
2000		M12x1.75	galvanized steel	0.4	PIEDINOSB2ZNC
5000		M20x2.5		-	PIEDINOSB2ZNCM20

Nuts and washers included.

**称重传感器 | 控制仪表 | 应变测试仪**

[www.sensortop.cn](http://www.sensortop.cn) Tel:0755-23002259 sales@sensortop.cn




# 深圳市诗拓浦仪器仪表有限公司



称重传感器 | 控制仪表 | 应变测试仪


[www.sensortop.cn](http://www.sensortop.cn) Tel:0755-23002259 sales@sensortop.cn

Application example with compression load cells




# 深圳市诗拓浦仪器仪表有限公司

## Application example with V15000 - V30000 - V100000 mounting kits




HORIZONTAL RESTRAINTS PLACEMENT ON 3/4 SUPPORTS: The restraining elements can be positioned both on supports and on the four sides, centrally between two supports.




### STRUCTURE WITH 3-POINTS SUPPORT

1 RESTRAINT FOR SUPPORT




2 RESTRAINTS FOR SUPPORT




### STRUCTURE WITH 4-POINTS SUPPORT

1 RESTRAINT FOR SUPPORT



2 RESTRAINTS FOR SUPPORT



称重传感器 | 控制仪表 | 应变测试仪

[www.sensortop.cn](http://www.sensortop.cn) Tel:0755-23002259 sales@sensortop.cn